

25X1A

		136	(IN A	9980)				4	A)	P S	E	C	R	E 7	•		PAG	E	TWO
	1800	7742			4														
	1758	7709			L ₄	SC													
	1758	7653	221	1232	2	sc													
	1757	7643			2	SC													
	1756	7611			1														
	1843	75 13			2	CU													
į	1855	75Ø1			1														
	1930	7418			2	cu													
	1952	74 15			2	cu													
š	1959	7430	225	13 Ø6	1														
	2005	7552			1														
	2006	7559	227	1318	3	SC													
*	2016	7631			3	SÇ													
	2932	7619	226	1326	2	SC	D	EV 1	ALE	D	5	MI	RI	G HT					
	2048	7555			1														
	2100	753 Ø	230	1333	2	CU													
	2230	7539	232	1346	2	CU										•			
	2254	7618			2	CN													
	2309	7648			3	CI	cu												
	2338	7747	181	1406	Łį,	CI	cu												
	2350	7893			4	CI	CU												
	2500	7925	176	1424	2	CU													
	2524	803 Ø	M150	14 34	2	CU													
ę.	2540	8130			2	CU													
	2604	8225	M ₂₅ Ø	3454	1														
									-		÷.	~	5.4	C 53	r T				

JOP SECRET

I-O-P SECRET

25X1A

136 (IN 49980) PAGE THREE 2612 8346 2 CU 2613 8357 3 CU CB 2618 8500 120 1515 2 CU 2635 8652 2 CU 2 CU 2649 8846 2700 9000 120 1555 2 CU 2 CU 2712 9156 2 (1 2721 9341 2725 9426 3 CU CI 5 XX 2732 9552 2747 9710 124 1653. 3 CI CU 3 CI CU 2756 9722 2836 9909 A CI CU 2854 9942 1714 A CI CU DLF 1800 5 XX

- D. NIL ENTIRE RTE.
- E. NOT OBSERVED ON CLIMB, TOPS ON DECENT K_{120} M₆₃C, BASES IN CLDS. MDT PERSISTENT.
 - F. AS FCST.
- G. 25 BRKN 50 OVCST, VSBY 10 VERY LIGHT RAIN SHOWER, 230/10.
 - H. ALTERNATE A/R USED DUE TO CBOS IN PRIMARY AR.
 END OF MESSAGE

TOPSECRET